

Cambridge O Level

CHEMISTRY**5070/31**

Paper 3 Practical Test

May/June 2026**CONFIDENTIAL INSTRUCTIONS**

This document gives details of how to prepare for and administer the practical exam.

The information in this document and the identity of any materials supplied by Cambridge International are confidential and must NOT reach candidates either directly or indirectly.

The supervisor must complete the report at the end of this document and return it with the scripts.

INSTRUCTIONS

- If you have any queries regarding these confidential instructions, contact Cambridge International stating the centre number, the syllabus and component number and the nature of the query.
email info@cambridgeinternational.org
phone +44 1223 553554

This document has **8** pages. Any blank pages are indicated.

General information about practical exams

Centres must follow the guidance on science practical exams given in the *Cambridge Handbook*.

Safety

Supervisors must follow national and local regulations relating to safety and first aid.

Only those procedures described in the question paper should be attempted.

Supervisors must inform candidates that materials and apparatus used in the exam should be treated with caution. Suitable eye protection should be used where necessary.

The following hazard codes are used in these confidential instructions, where relevant:

C	corrosive	MH	moderate hazard
HH	health hazard	T	acutely toxic
F	flammable	O	oxidising
N	hazardous to the aquatic environment		

Hazard data sheets relating to substances used in this exam should be available from your chemical supplier.

Before the exam

- The packets containing the question papers must **not** be opened before the exam.
- It is assumed that standard school laboratory facilities, as indicated in the *Guide to Planning Practical Science*, will be available.
- Spare materials and apparatus for the tasks set must be available for candidates, if required.

During the exam

- It must be made clear to candidates at the start of the exam that they may request spare materials and apparatus for the tasks set.
- Where specified, the supervisor **must** perform the experiments and record the results as instructed. This must be done **out of sight** of the candidates, using the same materials and apparatus as the candidates.
- Any assistance provided to candidates must be recorded in the supervisor's report.
- If any materials or apparatus need to be replaced, for example, in the event of breakage or loss, this must be recorded in the supervisor's report.

After the exam

- The supervisor must complete a report for each practical session held and each laboratory used.
- Each packet of scripts returned to Cambridge International must contain the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.

Specific information for this practical exam

During the exam, the supervisor (**not** the invigilator) must do the experiments in Questions 1 and 2 and record the results on a spare copy of the question paper, clearly labelled 'supervisor's results'.

Apparatus

The apparatus listed must be provided to each candidate.

Question 1

- 1 × 250 cm³ conical flask
- 1 × 50 cm³ measuring cylinder
- 1 × stop-watch
- 1 × piece of black paper or card large enough for a conical flask to stand on
- 1 × 100 cm³ beaker
- 2 × teat/dropping pipettes
- 1 × beaker (for washing teat/dropping pipettes)
- access to distilled water

Question 2

- 3 × test-tubes
- 1 × test-tube rack
- 1 × stirring rod
- 1 × spatula
- 1 × 100 cm³ beaker
- 1 × measuring cylinder (50 cm³ or 100 cm³)
- 1 × boiling tube
- 1 × stand and clamp to support a boiling tube
- 1 × Bunsen burner*
- 1 × wash bottle containing distilled water
- 1 × heat-proof mat
- 1 × clean white tile
- a supply of teat/dropping pipettes
- 1 × beaker (for washing teat/dropping pipettes)
- paper towels
- red litmus papers
- blue litmus papers
- universal indicator paper and colour chart
- wooden splints

*a Bunsen burner/butane burner/portable Bunsen burner can be used. A spirit burner is **not** a suitable alternative.

Candidates are expected to rinse and reuse test-tubes and boiling tubes where necessary. Additional tubes should be available.

Materials

The materials listed in the table must be provided to each candidate. An excess of at least 10% of each material must be prepared to cover accidental loss.

N.B. Small amounts of NH_3 [C][T][N], which can cause respiratory distress in some people, may be produced. **The laboratory must be well ventilated.**

label	per candidate	identity	notes
Question 1			
calcium carbonate	5 × 1.0 g samples	calcium carbonate powder	Additional samples should be available if a candidate wants to repeat an experiment.
distilled water	100 cm ³	distilled water	
A	200 cm ³	2.00 mol/dm ³ hydrochloric acid	Dilute 170 cm ³ of concentrated (35–37%; approximately 11 mol/dm ³) HCl [C][MH] to 1 dm ³ .
Supervisors are asked to carry out a reaction to ensure that the reactants are appropriate. It is essential that a reaction between 1.0 g of calcium carbonate and 50 cm ³ of a solution prepared using 40% 2.00 mol/dm ³ hydrochloric acid and 60% distilled water takes between 30 and 320 seconds for the complete reaction. Amend the concentration of A as appropriate to ensure that the time falls within this range.			
Question 2			
[MH] solid B	2 × 2 g samples	ammonium iron(III) sulfate, $\text{NH}_4\text{Fe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$	Additional samples should be available if a candidate wants to repeat an experiment. Alternative names for this compound include ferric ammonium sulfate and ferric alum.
distilled water	60 cm ³	distilled water	
[C] dilute nitric acid	10 cm ³	1.0 mol/dm ³ HNO_3	See preparation instructions in the 2026–28 syllabus.
[C] aqueous sodium hydroxide	10 cm ³	1.0 mol/dm ³ NaOH	If necessary, each of these reagents can be provided as a communal supply for groups of up to 6 candidates.
aqueous barium nitrate	10 cm ³	0.1 mol/dm ³ $\text{Ba}(\text{NO}_3)_2$	Invigilators must be alert to the risk of contamination and the opportunity for malpractice when using a communal supply.

- All solutions must be thoroughly mixed.
- If you are unable to source any of these chemicals, you must contact Cambridge International as far as possible in advance of the exam for advice.
- Materials must be labelled only as specified in the 'label' column. The identities of chemicals labelled with letter codes, e.g. **P**, may be different from their descriptions in the question paper. Candidates must use the descriptions given in the question paper.
- If chemicals are prepared in more than one batch, clearly labelled supervisor's results **must** be provided for each batch. The candidates using each batch must be listed on the supervisor's report.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (Cambridge University Press & Assessment) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in our Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge International Education is the name of our awarding body and a part of Cambridge University Press & Assessment, which is a department of the University of Cambridge.

Supervisor's report

Syllabus and component number

				/		
--	--	--	--	---	--	--

Centre number

--	--	--	--	--

Centre name

Time of the practical session

Laboratory name/number

Give details of any difficulties experienced by the centre or by candidates (include the relevant candidate names and candidate numbers).

You must include:

- any difficulties experienced by the centre in the preparation of materials
- any difficulties experienced by candidates, e.g. due to faulty materials or apparatus
- any specific assistance given to candidates.

If chemicals have been prepared in more than one batch, list the candidates using each batch. Supervisor's results must be prepared and submitted using each batch of chemicals.

Declaration

- 1 Each packet that I am returning to Cambridge International contains all of the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.
- 2 Where the practical exam has taken place in more than one practical session, I have clearly labelled the supervisor's results, supervisor's reports and seating plans with the time and laboratory name/number for each practical session.
- 3 I have included details of difficulties relating to each practical session experienced by the centre or by candidates.
- 4 I have reported any other adverse circumstances affecting candidates, e.g. illness, bereavement or temporary injury, directly to Cambridge International on a *special consideration form*.

Signed (supervisor)

Name (in block capitals)