



Cambridge O Level

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

CHEMISTRY

5070/21

Paper 2 Theory

May/June 2026

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS


- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen. Do **not** use correction fluid or tape.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.

1 Choose from the following compounds to answer the questions.



Each compound can be used once, more than once or not at all.

State which compound:

(a) is amphoteric

..... [1]

(b) has a molecule with only three atoms

..... [1]

(c) has a molecule with only 18 electrons

..... [1]

(d) has an element with an oxidation number of +2

..... [1]

(e) is unsaturated.

..... [1]

[Total: 5]



- 2 Sodium azide, NaN_3 , decomposes when heated to make sodium and nitrogen.



- (a) A sample of 13.6 g of sodium azide is fully decomposed.

Calculate the volume of nitrogen, measured at r.t.p., that is formed.

Give your answer to **three** significant figures.

volume of nitrogen = dm^3 [3]

- (b) Sodium azide has a giant ionic lattice.

- (i) Explain what is meant by the term giant ionic lattice.

.....
 [1]

- (ii) Predict **two** physical properties of sodium azide.

1
 2 [2]

- (iii) Deduce the formula of an azide ion.

..... [1]

- (c) Describe the separation, arrangement and motion of the molecules in nitrogen gas.

.....

 [3]



(d) Draw a dot-and-cross diagram to show the electronic configuration in a molecule of nitrogen.

Show only the outer shell electrons.

[1]

(e) Explain why nitrogen has a very low boiling point.

.....

..... [1]

[Total: 12]



- 3 Hydrogen reacts with oxygen to make water.




Figure 3.1 shows the reaction pathway diagram for this reaction.




Figure 3.1

- (a) The reaction is exothermic.

- (i) Explain how the reaction pathway diagram shows that the reaction is exothermic.

.....
 [1]

- (ii) Explain why the reaction is exothermic.

Use ideas about bond breaking and bond making.

.....


 [2]

- (b) Explain what is meant by the term activation energy, E_a , used in Figure 3.1.

.....

 [1]

- (c) The equation for the overall chemical reaction that takes place within a hydrogen–oxygen fuel cell is shown.



Describe one advantage and one disadvantage of using a hydrogen–oxygen fuel cell to power a motor vehicle rather than using a gasoline engine.

advantage

.....

disadvantage

.....

[2]

- (d) The rate of reaction between hydrogen gas and oxygen gas decreases when the pressure is decreased at constant temperature.

Explain why.

.....

.....

..... [2]

- (e) The rate of reaction between hydrogen gas and oxygen gas decreases when the temperature is decreased at constant pressure.

Explain why.

.....

.....

..... [2]

[Total: 10]



4 Potassium iodide is an ionic compound.

- (a) Concentrated and dilute aqueous potassium iodide are separately electrolysed using graphite electrodes.

Complete Table 4.1 about the products of the two electrolysis reactions.

Table 4.1

	concentrated aqueous potassium iodide	dilute aqueous potassium iodide
product formed at anode		
product formed at cathode		

[4]

- (b) Molten potassium iodide is electrolysed using graphite electrodes.

Construct ionic half-equations to show the reactions at the anode and at the cathode.

anode

cathode

[2]

- (c) State **two** reasons why graphite is a suitable material for the electrodes used in electrolysis.


1

2

[2]



- (d) The ionic equation for the reaction between aqueous potassium iodide and aqueous copper(II) chloride is shown.



- (i) State the oxidation number of copper in copper(II) chloride.

..... [1]

- (ii) The reaction is an example of a redox reaction.

Explain how the equation shows that both oxidation and reduction take place during the reaction.

oxidation

.....

reduction


.....

[2]

[Total: 11]



- 5 Aluminium sulfate is prepared by reacting excess aluminium with hot dilute sulfuric acid.



- (a) Use the equation to predict one observation made during this reaction.

..... [1]

- (b) Explain why an excess of aluminium is used in this preparation.

..... [1]

- (c) A sample of 3.24 g of aluminium is added to 50.0 cm³ of 2.50 mol/dm³ sulfuric acid.

Show by calculation that the aluminium is in excess.

[3]

- (d) Describe how excess aluminium is removed from the reaction mixture.

..... [1]

- (e) Describe how pure dry aluminium sulfate crystals are prepared from aqueous aluminium sulfate.

.....
.....
.....
.....
..... [3]



- (f) The formula of aluminium sulfate crystals is $\text{Al}_2(\text{SO}_4)_3 \cdot 16\text{H}_2\text{O}$.

Calculate the percentage by mass of water of crystallisation in these crystals.

percentage by mass = [3]

- (g) Describe the effect of adding aqueous sodium hydroxide drop by drop until in excess to a sample of aqueous aluminium sulfate.

.....
.....
..... [2]

[Total: 14]



6 Iron is a transition element.

Iron has good electrical conductivity.

(a) State **two** chemical properties that are typical of a transition element.

1

2

[2]

(b) Explain why iron has good electrical conductivity.

Use ideas about structure and bonding.

.....

..... [1]

(c) Iron is used to make stainless steel.

(i) Name **two** elements that are mixed with iron to make stainless steel.

1

2

[2]

(ii) Stainless steel is used to make cutlery because it is hard.

Explain why stainless steel is harder than pure iron.

Use ideas about structure and bonding.

.....

.....

.....

..... [2]



(iii) Describe the extraction of iron from hematite in the blast furnace.

You may include word equations in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

..... [5]

[Total: 12]



7 Proteins are natural condensation polymers.

Figure 7.1 shows a section of a protein.




Figure 7.1

(a) Define the term condensation in the phrase condensation polymerisation.

.....
 [1]

(b) (i) Name the type of monomer used to make proteins.

..... [1]

(ii) Draw the general structure of the monomer used to make proteins.

[1]

(iii) Proteins contain the amide linkage.

Circle an amide linkage on Figure 7.1. [1]

(c) Nylon is a synthetic polyamide.

(i) Name the **two** types of monomer that are used to make nylon.

..... and [2]

(ii) Describe **one** environmental challenge caused by the disposal of plastics such as nylon.

..... [1]

[Total: 7]

8 This question is about alcohols.

(a) Describe the manufacture of ethanol from ethene.

Include a symbol equation and the conditions for the manufacture.

.....

.....

.....

..... [3]

(b) Draw the displayed formula of butan-2-ol.

[1]

(c) Ethanol reacts with propanoic acid to form an ester.

(i) State the name of this ester.

..... [1]

(ii) Draw the structural formula of this ester.

[1]

(iii) State **one** condition needed for this esterification reaction.

..... [1]

(d) Deduce the molecular formula of an unbranched alcohol that has only eight carbon atoms in its molecule and only one alcohol functional group.

..... [2]

[Total: 9]





Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (Cambridge University Press & Assessment) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in our Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge International Education is the name of our awarding body and a part of Cambridge University Press & Assessment, which is a department of the University of Cambridge.



The Periodic Table of Elements

Group																			
I	II											III	IV	V	VI	VII	VIII		
												1 H hydrogen 1							
												Key							
												atomic number atomic symbol name relative atomic mass							
3 Li lithium 7	4 Be beryllium 9											5 B boron 11	6 C carbon 12	7 N nitrogen 14	8 O oxygen 16	9 F fluorine 19	10 Ne neon 20		
11 Na sodium 23	12 Mg magnesium 24											13 Al aluminium 27	14 Si silicon 28	15 P phosphorus 31	16 S sulfur 32	17 Cl chlorine 35.5	18 Ar argon 40		
19 K potassium 39	20 Ca calcium 40	21 Sc scandium 45	22 Ti titanium 48	23 V vanadium 51	24 Cr chromium 52	25 Mn manganese 55	26 Fe iron 56	27 Co cobalt 59	28 Ni nickel 59	29 Cu copper 64	30 Zn zinc 65	31 Ga gallium 70	32 Ge germanium 73	33 As arsenic 75	34 Se selenium 79	35 Br bromine 80	36 Kr krypton 84		
37 Rb rubidium 85	38 Sr strontium 88	39 Y yttrium 89	40 Zr zirconium 91	41 Nb niobium 93	42 Mo molybdenum 96	43 Tc technetium —	44 Ru ruthenium 101	45 Rh rhodium 103	46 Pd palladium 106	47 Ag silver 108	48 Cd cadmium 112	49 In indium 115	50 Sn tin 119	51 Sb antimony 122	52 Te tellurium 128	53 I iodine 127	54 Xe xenon 131		
55 Cs caesium 133	56 Ba barium 137	57–71 lanthanoids		72 Hf hafnium 178	73 Ta tantalum 181	74 W tungsten 184	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195	79 Au gold 197	80 Hg mercury 201	81 Tl thallium 204	82 Pb lead 207	83 Bi bismuth 209	84 Po polonium —	85 At astatine —	86 Rn radon —		
87 Fr francium —	88 Ra radium —	89–103 actinoids		104 Rf rutherfordium —	105 Db dubnium —	106 Sg seaborgium —	107 Bh bohrium —	108 Hs hassium —	109 Mt meitnerium —	110 Ds darmstadtium —	111 Rg roentgenium —	112 Cn copernicium —	113 Nh nihonium —	114 Fl flerovium —	115 Mc moscovium —	116 Lv livermorium —	117 Ts tennessine —	118 Og oganesson —	

lanthanoids	57	La	lanthanum	139	58	Ce	cerium	140	59	Pr	praseodymium	141	60	Nd	neodymium	144	61	Pm	promethium	—	62	Sm	samarium	150	63	Eu	europtium	152	64	Gd	gadolinium	157	65	Tb	terbium	159	66	Dy	dysprosium	163	67	Ho	holmium	165	68	Er	erbium	167	69	Tm	thulium	169	70	Yb	ytterbium	173	71	Lu	lutetium	175
	89	Ac	actinium	—	90	Th	thorium	232	91	Pa	protactinium	231	92	U	uranium	238	93	Np	neptunium	—	94	Pu	plutonium	—	95	Am	americium	—	96	Cm	curium	—	97	Bk	berkelium	—	98	Cf	californium	—	99	Es	einsteinium	—	100	Fm	fermium	—	101	Md	mendelevium	—	102	No	nobelium	—	103	Lr	lawrencium	—

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).